

LENOX

CHINA • CRYSTAL

POMONA NEW JERSEY 08240

Tom

20
[11] - Has an
expansion been
approved?
Tul

~~1983~~ - January 3, 1984

Ernest A. Regna, Chief
Solid Waste Branch
U.S. Environmental Protection Agency
26 Federal Plaza, Room 905
New York, New York 10278

RE: Part B, RCRA Permit Application
Facility in Pomona, New Jersey
EPA ID No. NJD002325074

Dear Mr. Regna:

Our Part B, RCRA Permit Application is under review in the draft stage. We will submit the application in its finalized form on or before February 15, 1984.

Very truly yours,

AJ
A. J. Gustray
A. J. Gustray
Director,
Facilities Engineering

AJG/pm
Enclosure

w/o enclosure
01/07/99 -KOM

651127



CC: Frank Coolick, Chief
Bureau of Engineering Review and Permits
Division of Waste Management
New Jersey Department of Environmental Protection
32 East Hanover Street
Trenton, New Jersey 08625

John J. Trela, Chief
Groundwater Permits Review
Bureau of Groundwater Management
Division of Water Resources
CN 029
Trenton, New Jersey 08625

Richard J. Sullivan
New Jersey First, Inc.
Route 31 Professional Building
2490 Pennington Road
Trenton, New Jersey 08638

John Isbister, V.P.
Geraghty & Miller, Inc.
N. Shore Atrium
6800 Jericho Turnpike
Syosset, New York 11791

Erhardt Werth
Geraghty & Miller, Inc.
N. Shore Atrium
6800 Jericho Turnpike
Syosset, New York 11791

RECORD OF COMMUNICATION		<input checked="" type="checkbox"/> PHONE CALL <input type="checkbox"/> DISCUSSION <input checked="" type="checkbox"/> FIELD TRIP <input type="checkbox"/> CONFERENCE <input type="checkbox"/> OTHER (SPECIFY)	
		(Record of item checked above)	
TO: File NJD002325074	FROM: Tom Taccone, SWB	DATE: Jan. 25, 1984	TIME: 10:30 am
SUBJECT Lenox China; Delinquent Part B Application.			
SUMMARY OF COMMUNICATION <p>Lenox China was required to submit a Part B hazardous waste management permit application to EPA by January 11, 1984. EPA notified Lenox of this requirement by letter of July 8, 1983.</p> <p>Lenox notified EPA, by letter dated January 3, 1984, that its Part B would be submitted "on or before February 15, 1984." In response to this letter, I called Lenox on January 25, 1984 and spoke to Joe Skladamek, Lenox's Plant Engineer. I indicated to Mr. Skladamek that EPA's January 11, 1984 deadline is unextendable. Since no reasons were indicated in Lenox's letter I asked that the company provide its reasons to us in writing, and that if the company expects it can't submit its Part B by ^{by} 2/15/84 to also state this in writing with reasons.</p>			
CONCLUSIONS, ACTION TAKEN OR REQUIRED			
INFORMATION COPIES TO: T. Taccone, Waste & Toxic Substances Branch			

LENOX

CHINA • CRYSTAL

POMONA NEW JERSEY 08240

ELL/Tmm

2B

pe84 - February 14, 1984

Ernest A. Regna, Chief
Solid Waste Branch
U.S. Environmental Protection Agency
26 Federal Plaza, Room 905
New York, New York 10278

RE: Lenox China Plant, Pomona, NJ
EPA ID No. NJD002325074

Dear Dr. Regna:


Transmitted herewith are six copies of our RCRA Part B Permit Application.

Please note in Section 17 of the Financial Assurance submission (Section 12 of Permit Application) and Trust Agreement that Lenox has set a standard for the termination of the Trust Fund.

Inquiries and questions concerning this RCRA Part B Permit Application should be directed to my attention at:

Lenox China
Tilton Road
Pomona, New Jersey 08240
Tel: (609) 641-3700 (Ext. 335)

Very truly yours,



A.J. Gustray
Director,
Facilities Engineering

AJG/pm

CC: Mr. Joel Golumbek, Chief ✓
N.J./Caribbean Hazardous Waste Section
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Mr. Robert Gantzer
N.J./Caribbean Hazardous Waste Section
Solid Waste Branch
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Mr. Frank Coolick, Chief
Bureau of Engineering and Permits
NJ Dept. of Environmental Protection
32 East Hanover Street
Trenton, NJ 08625

Mr. Richard J. Sullivan
New Jersey First, Inc.
Route 31 Professional Bldg.
2490 Pennington Road
Trenton, NJ 08638

Mr. John J. Trela, Chief
Groundwater Permits Review
Bureau of Groundwater Management
Division of Water Resources
CN-029
Trenton, NJ 08625

Mr. Erhardt Werth
Geraghty & Miller, Inc.
North Shore Atrium
6800 Jericho Turnpike
Syosset, NY 11791

TMT 2B

④

LENOX

CHINA • CRYSTAL

POMONA NEW JERSEY 08240

PE84- March 6, 1984

Conrad Simon, Director
Air & Waste Management Division
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

RE: Lenox China Plant, Pomona, NJ
EPA ID No. NJD002325074

Dear Mr. Simon:


Reference your March 1 letter (copy attached) requesting a written closure plan and a closing cost estimate together with a post-closure plan and a separate cost estimate for post-closure monitoring and maintenance.

This information is included in Section 12 of the Lenox China RCRA Part B Permit Application submitted to Mr. E.A. Regna, Chief, Solid Waste Branch, USEPA on February 13, 1984.

In telecon with Ms. Barbara Kropf on March 6, I advised that six copies of the Lenox China Part B Permit Application were hand delivered to Mr. Regna's office at USEPA, Region II, 26 Federal Plaza, New York City, NY and we have a signed receipt acknowledging delivery.

Apparently, there has been some sort of an administrative mix-up and a lack of proper communication. Ms. Barbara Kropf advised no action is required on our part other than this letter of response.

Very truly yours,



A. J. Gustray
Director,
Facilities Engineering

AJG/pm
Attachment

MAR 9 3 27 PM '84
AIR & WASTE MANAGEMENT
DIVISION
U.S. ENVIRONMENTAL
PROTECTION AGENCY
REGION II
NEW YORK, N.Y.

CC: Shelly Erlech Holm
Air & Waste Management Division
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Barbara Kropf
Air & Waste Management Division
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Ernest A. Regna, Chief
Solid Waste Branch
U.S. Environmental Protection Agency
26 Federal Plaza, Room 905
New York, New York 10278

Joel Golumbek, Chief
NJ/Caribbean Hazardous Waste Section
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Robert Gantzer
NJ/Caribbean Hazardous Waste Section
Solid Waste Branch
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Frank Coolick, Chief
Bureau of Engineering and Permits
NJ Dept. of Environmental Protection
32 East Hanover Street
Trenton, NJ 08625

John J. Trela, Chief
Groundwater Permits Review
Bureau of Groundwater Management
Division of Water Resources
CN 029
Trenton, NJ 08625

Richard J. Sullivan
New Jersey First, Inc.
Route 31 Professional Building
2490 Pennington Road
Trenton, NJ 08638

Erhardt Werth
Geraghty & Miller, Inc.
North Shore Atrium
6800 Jericho Turnpike
Syosset, New York 11791



State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WASTE MANAGEMENT
32 E. Hanover St., CN 028, Trenton, N.J. 08625

DR. MARWAN M. SADAT, P.E.
DIRECTOR

LINO F. PEREIRA, P.E.
DEPUTY DIRECTOR

PE85-18 MAR 1985

A.J. Gustray, Director
Facilities Engineering
Lenox China, Inc.
Tilton Road
Pomona, New Jersey 08240

NSD 002325074

RE: Extension Request of March 5, 1985,
Submitted by Geraghty & Miller, Inc.

Dear Mr. Gustray:

The Bureau of Hazardous Waste Engineering has received a letter of March 5, 1985 from Erhardt Werth, Geraghty & Miller, Inc. requesting a one month extension to submit additional information for the Part B permit application. The Bureau hereby grants an extension to April 5, 1985 for the information requested in the letter dated December 6, 1984. This extension is granted due to the quantity of information requested and the level of the effort necessary to develop such information.

Very truly yours,

Frank Coolick, Chief
Bureau of Hazardous Waste Engineering

EP7:lk

cc: Kathy Lapham, DWR
Nancy Seldin, DWM
Angel Chang, USEPA, Region II

LENOX

CHINA • CRYSTAL

POMONA NEW JERSEY 08240

Jim

NY 5 002 325 074

D.J. - is this
out of the
to EPA
polymers
involved

Angel

PBS- April 17, 1985

Received 5/14/85

Frank Coolick, Chief
Bureau of Hazardous Waste Engineering
Division of Waste Management
New Jersey Department of
Environmental Protection
32 East Hanover Street
Trenton, New Jersey 08625

Re: Revised Part B Application, Lenox China, Pomona, New Jersey

Dear Mr. Coolick:

In accordance with the December 6, 1984 request from your office, we are enclosing additional information in support of the RCRA Part B/New Jersey Hazardous Waste Facility Permit Application for Lenox China's Pomona, New Jersey plant. Lenox China has made a diligent effort to develop and supply as much information as possible with the time allotted by the NJDEP.

If there were any changes in a section, we have provided a complete new section. Enclosed are the following revised sections:

Section 1	Section 11
Section 2	Section 12
Section 3	Section 13
Section 5	Section 14
Section 6	Section 15
Section 7	Section 16
Section 8	Section 17

Existing sections with these numbers should be discarded and replaced with the enclosures.

Unchanged, and therefore not provided are the following:

Section 4	Section 18
Section 9	Section 19
Section 10	Section 20

The considerable scope of additional field work requested by the NJDEP and the related problems of contractor availability and timely reporting of analytical results have delayed the submission of a small number of items specified in the administrative check list (Attachment 3 to the December 6, 1984 letter).

A description of the outstanding information along with an estimate of the additional time required to obtain/develop this information is provided below.

1. Facility Description (Items B-2a/B-2b).

None of the existing contour maps available to Lenox China is considered suitable by the NJDEP for use as a base map to describe the facility; therefore, Lenox must prepare a new map for this purpose. This involves the use of aerial photography coupled with stringent ground control/surveying measures. The detailed elevation data obtained in this manner must be reduced (usually by computer) and mapped in a final form. This entire process can be expected to take two to four months to complete. Moreover, the ability to perform the aerial photography work is highly dependent upon weather conditions.

Lenox China has retained Topographic Data Consultants, Inc., Berlin, New Jersey to perform this work and anticipates that the necessary contour map may be available by June 15, 1985. Once the new contour-base map is available, another one to two weeks will be required to add the various components such as ground-water flow patterns, facility boundaries, runoff control systems, and storm and sanitary sewers to the map as specified by the permit requirements.

2. Facility Siting Information (Item B-3b).

The set of the Federal Insurance Administration (FIA) flood maps examined for the preparation of the original permit application have been superseded. Personal communications with FIA personnel indicate that the new flood map for the site, which is currently on back order, continues to show that no portion of the plant is located within the 100-year floodplain boundary. It is anticipated that the new map will be available from FIA within the next two weeks.

3. Hazardous Waste Characterization (Item C-1).

Lenox China has selected and contracted a chemical laboratory (Measurement Sciences Corporation of Garden City, New York), and representative waste samples were recently collected for analysis. Waste samples are currently being analyzed for those chemical constituents anticipated to be in waste stream, EP toxicity testing for metals, and a GC/MS scan for volatile organics in the trichloroethylene sludge stored on site in drums. The results of this analytical work should be available in six to eight weeks.

4. Certification of Dike Integrity (Items D-4f(1) through D-4f(6)).


Lenox has retained the services of the engineering firm of E.P. Ryan Associates, Inc., of Pleasantville, New Jersey to evaluate the integrity of dikes around the Slip Basin and Polishing Basin. Development of this information should take approximately six weeks.

5. Forms related to the Alternative Information Statement, the Affidavit of Exemption and the Solid Waste Supplement to Standard Application Form CP #1 are under review by our legal staff for compilation of all required corporate information. The completed forms will be forwarded under separate cover within the next three weeks.

Lenox China will submit this outstanding information to the NJDEP under separate cover as soon as the data for each of these items becomes available and/or has been evaluated to characterize site conditions as required by the permit.

NJDEP Standard Application Form CP #1 is enclosed together with a \$550. check to cover the RCRA Part B Permit engineering design review and registration fee.

Sincerely,


A.J. Gustray
Director,
Facilities Engineering

AJG/pm

Enclosures (4)

*w/o enclosures
01/07/99 - KOM*

CC: Mr. Ernest A. Regna, Chief
Solid Waste Branch
U.S. Environmental Protection Agency
26 Federal Plaza, Room 905
New York, New York 10278

Mr. Joel Columbek, Chief ✓
N.J./Caribbean Hazardous Waste Section
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Mr. Robert Gantzer
N.J./Caribbean Hazardous Waste Section
Solid Waste Branch
U.S. Environmental Protection Agency
Region II
26 Federal Plaza
New York, New York 10278

Mr. John J. Trela, Chief
Groundwater Permits Review
Bureau of Groundwater Management
Division of Water Resources
CN-029
Trenton, NJ 08625

Mr. Erhardt Werth
Geraghty & Miller, Inc.
North Shore Atrium
6800 Jericho Turnpike
Syosset, New York 11791

Mr. Robert Saar
Geraghty & Miller, Inc.
North Shore Atrium
6800 Jericho Turnpike
Syosset, New York 11791

Mr. Richard J. Sullivan
New Jersey First, Inc.
Route 31 Professional Building
2490 Pennington Road
Trenton, New Jersey 08638